

OSC SERIES

SELF-CONTAINED COMPACTOR



Galfab's Self-Contained Compactors are a great way to reduce the mess that can be associated with unhooking from a stationary compactor. Our fully gasketed door makes it ideal for applications where wet waste is involved such as restaurants, schools, and grocery stores.

Available in both Octagon and Rectangular receiver styles.

GALFAB FEATURES



Standard Latch

Heavy duty latch meets ANSI standards.



Patented Articulating Hinge

Articulating hinge helps ensure and even seal reducing leakage from the door.



Outriggers & Receiver Rollers

Outriggers provided available for added stability and durability.



Rectangular Container with Optional Outriggers

Both standard and custom hopper designs available to fit your application.

STANDARD FEATURES

- 7 ga. Sides
- 7 ga. Floor
- 10 ga. Roof
- 6" x 2" x 1/4" Long Sills
- 3" Structural Cross Members
- Cross Members Gusseted
- Solid Nose Cone Rollers
- Greaseable Hinges
- Fire Inspection Port
- 8" x 8" Rear Ground Rollers
- Flush Type Door Opening 64 1/2" x 48 1/2" x 14"

OPTIONAL FEATURES

- Pin-Off Door
- 1/4" Floor
- 1/4" Sides
- 6" x 2" x 3/8" Long Sills
- Front Ground Rollers on Outriggers
- Gasketed Door
- Door Tarp
- Vertical Lift Door
- Auger Type Opening
- Band Braces (Chart on Back)
- Spears
- Wear Strips along Long Sills
- HH Understructure (pic on back)
- Dual Marriage Coupler

OSC SERIES MODELS

Model	Inside Length	Inside Height	Cubic Yard	"L"
OSC1690	11'	90"	23	17' - 2"
OSC1890	13'	90"	27	19' - 2"
OSC2090	15'	90"	31	21' - 2"
OSC2290	17'	90"	35	23' - 2"
OSC2490	19'	90"	39	25' - 2"

Add 3 1/2" to "L" for Hooklift Hoist

Understructures

- Model: "D"
- Outside Rail: 17"
- Deadlift HH: 14 1/2"
- Dempster Dino: 10"
- Hooklift: 23 1/2"
- Dual Understructures: W/A
- Misc. Other: W/A

Shop all replacement parts at:

[Galfab.com](https://www.galfab.com)

