



TOT SERIES TUB STYLE ROLL-OFF CONTAINERS

GALFAB Tub Style Open Top Roll-Off Containers are available in all standard industry steel gauges. Being able to “Boat Stack” these boxes for shipping helps increase how many containers a customer can have delivered. GALFAB open tops can be customized in length and height and are available in a variety of configurations.

GALFAB FEATURES



Vertical Lift Latch and Standard Hinge System

Secures the door in 3 places ensuring safe transport and easy unloading of the container and increased safety of the operator.



Nose Cone Roller

Nose Cone Roller Fits most manufacturers hoists helping ensure smooth pick up and drop off of the container.



Greasable Rear Roller

Rollers add to the longevity and durability of the container.

STANDARD FEATURES

- 8x8 Greaseable Rear Ground Rollers
- Overall width 84"-88" (taper)
- J Hooks on each side
- Single Rear Door
- 6 x 2 x 3/16" Long Sills
- Side Stakes on 30" Centers
- 3" Channel Cross Sills
- Cross Sills on 16" Centers
- Each Cross Sill Gusseted
- Solid Steel Nose Cone
- Structural Channel Rub Rails
- 7 ga. floor, 10 ga. sides

OPTIONAL FEATURES

- Heavy Duty
- Gasketed Tailgate
- Front Rollers
- Inverted Angles on Top Cap
- Heavy Duty Top Cap
- Ground Roller Option
- Heavy Duty Long Sills
- Dirt Shedders
- 1/4" floor
- 7 ga. sides
- Wear strips on long sills

TOT SERIES MODELS

Model	Length	Height	Width	Rated Cubic Yards
TOT1436	14'	36"	84-88"	10
TOT1450	14'	50"	84-88"	15
TOT1470	14'	70"	84-88"	20
TOT1630	16'	30"	84-88"	10
TOT1648	16'	48"	84-88"	15
TOT1660	16'	60"	84-88"	20
TOT1842	18'	42"	84-88"	15
TOT1854	18'	54"	84-88"	20
TOT1866	18'	66"	84-88"	25
TOT2036	20'	36"	84-88"	15
TOT2048	20'	48"	84-88"	20
TOT2060	20'	60"	84-88"	25
TOT2244	22'	44"	84-88"	20
TOT2254	22'	54"	84-88"	25
TOT2266	22'	66"	84-88"	30
TOT2290	22'	90"	84-88"	45
TOT2072	20'	72"	84-88"	30

Duties

- Standard 7ga. Floor/12 ga. Sides
- Heavy 1/4 Floor/12 ga. Sides

Understructures

- Outside Rail (OR) – 3/16"
- Deadlift (HH) – 1/4"
- Hook Lift – 1/4"

Shop all replacement parts at:

GALFAB.com

